

*Fontana*

# Hand Knits

No. 321

20c

LADIES' AND MEN'S  
DESIGNS IN LOTUS

FISHER'S WOOL SHOP  
OTOROHANGA





# Capri . . .

For that fashionable winter look this jumper knitted in Lotus fulfils your wish.

## Model No. 2015

### MATERIALS

Fontana Lotus	19	20	21	ozs
or Fontana Sprite	15	16	17	ozs
Bust size	32	34	36	ins
1 pair each Nos 6 and 8 Paragon knitting needles.				

### MEASUREMENTS

Length	23½	23¾	24	ins
Sleeve seam	16	16	16	ins

### TENSION

4½ sts to 1 inch.

See paragraph marked **Important** below.

### ABBREVIATIONS

See page 10.

### FRONT

Using No 8 needles, cast on 78 (82) (86) sts and work 8 rows in k 1, p 1 rib, inc 1 st at the end of the last rib row. 79 (83) (87) sts.

Change to No 6 needles and cont as follows:—

**1st row:** K 27 (29) (31), p 1, k 23, p 1, k 27 (29) (31).

**2nd row:** P 27 (29) (31), k 1, p 23, k 1, p 27 (29) (31).

**3rd, 5th and 7th rows:** As 1st row.

**4th, 6th and 8th rows:** As 2nd row.

**9th row:** K 27 (29) (31), p 1, k 7, p 2, k 5, p 2, k 7, p 1, k 27 (29) (31).

**10th row:** P 27 (29) (31), k 1, p 8, k 2, p 3, k 2, p 8, k 1, p 27 (29) (31).

**11th row:** K 27 (29) (31), p 1, k 5, p 2, k 2, p 2, k 1, p 2, k 2, p 2, k 5, p 1, k 27 (29) (31).

**12th row:** P 27 (29) (31), k 1, p 6, k 2, p 2, k 3, p 2, k 2, p 6, k 1, p 27 (29) (31).

**13th row:** K 27 (29) (31), p 1, k 3, p 1, k 3, p 2, k 2, p 1, k 2, p 2, k 3, p 1, k 3, p 1, k 27 (29) (31).

**14th row:** P 27 (29) (31), k 1, (p 3, k 2) 4 times, p 3, k 1, p 27 (29) (31).

**15th row:** K 27 (29) (31), p 1, k 4, p 2, k 3, p 2, k 1, p 2, k 3, p 2, k 4, p 1, k 27 (29) (31).

**16th row:** P 27 (29) (31), k 1, p 5, k 2, p 3, k 3, p 3, k 2, p 5, k 1, p 27 (29) (31).

**17th row:** K 27 (29) (31), p 1, k 6, p 2, k 7, p 2, k 6, p 1, k 27 (29) (31).

**18th row:** As 16th row.

**19th row:** As 15th row.

**20th row:** As 14th row.

**21st row:** As 13th row.

**22nd row:** As 12th row.

**23rd row:** As 11th row.

**24th row:** As 10th row.

**25th row:** As 9th row.

**26th row:** As 2nd row.

These 26 rows comprise the patt for front. Rep them twice more (3 complete patts), then work the first 12 rows of the 4th patt.

### SHAPE ARMHOLES

Cont in patt. Keeping centre panel correct, cast off 5 (6) (7) sts at beg of next 2 rows, then dec 1 st at both ends of every p row until 61 (63) (65) sts rem. Cont without further shaping until the

## IMPORTANT . . .

To obtain a perfect reproduction of the garments illustrated in this book you **MUST** read and follow the instructions laid down in the paragraphs headed Tension and Materials. These instructions are the work of an expert knitter and if followed carefully satisfactory results cannot fail to be achieved.

**This paragraph is most important—read it carefully before commencing your garment.** You have obtained the correct FONTANA WOOL, you have obtained the correct needles but TO OBTAIN THE CORRECT MEASUREMENTS it is essential that you work to the tension stated. The rule on the back page is for your convenience and guidance. PLEASE USE IT. We suggest you work a small sample in this stitch before commencing the garment, then place the rule across it and see if your tension corresponds. If you are unable to obtain the correct tension proceed as follows. If you have less stitches than the number stated use a finer needle. If you have more stitches than the number stated use a coarser needle.





24th (26th) (26th) rows of the 5th patt has been worked.

**3rd SIZE only:**

Work the first 2 rows of the 6th patt.

**ALL SIZES:**

**SHAPE NECK**

**Next row:** Work across 19 (20) (21) sts, turn and cont on these sts, dec 1 st at neck edge on every row until 15 (16) (17) sts rem, then cont until armhole measures  $7\frac{1}{2}$  ( $7\frac{3}{4}$ ) (8) ins, ending at armhole edge.

**SHAPE SHOULDER**

Cast off 5 sts from armhole edge at beg of next 2 alt rows, then cast off rem

5 (6) (7) sts at beg of the foll alt row. Return to rem sts and sl the centre 23 sts on to a stitch holder and leave for front neck until required. Rejoin wool at neck edge to rem sts and work to correspond with side already completed.

**BACK**

Using No 8 needles, cast on 78 (82) (86) sts and work 8 rows in k 1, p 1 rib, inc 1 st at the end of the last rib row. 79 (83) (87) sts.

Change to No 6 needles and cont in stst until work measures same as for front to armholes, ending with a p row.

*Cont on page 12*





# *Costa Brava . . .*

Togetherness is the by-word . . . Designed in basket type stitch, and Lotus wool of course.



## Model No. 2021

### MATERIALS

Wool required

Fontana Lotus 18 20 22 23 25 ozs  
or Fontana Sprite 15 16 18 19 21 ozs

Bust or chest size

32 34 36 38 40 ins

1 pair each Nos 6 and 8 Paragon knitting needles.

### MEASUREMENTS

Length 22 23 24 25 26 ins  
Sleeve seam 15 15½ 16 16½ 17 ins

### TENSION

4½ sts to 1 inch.

See paragraph marked **Important** on page 2.

### ABBREVIATIONS

See page 10.

### BACK

\* Using No 8 needles, cast on

78 82 86 90 94 sts

and work in k 1, p 1 rib for 2 ins.

Change to No 6 needles and cont in patt:—

1st row: K 1 3 1 3 1 sts  
p 4, \* k 4, p 4; rep from \* until

1 3 1 3 1 sts

rem, k 1 3 1 3 1 sts

2nd row: P 1 3 1 3 1 sts  
k 4, \* p 4, k 4; rep from \* until

1 3 1 3 1 sts

rem, p 1 3 1 3 1 sts

3rd and 4th rows: As 1st and 2nd rows.

5th row: As 1st row.

6th row: As 1st row.

7th and 8th rows: As 2nd and 1st rows.

9th and 10th rows: As 2nd and 1st rows.

These 10 rows comprise the patt. Cont to rep them until work measures

14½ 15 15 15½ 16 ins

or length required, ending after a wsf row.

### SHAPE ARMHOLES

Keeping patt correct, cast off 4 sts at beg of next 2 rows, then dec 1 st at both ends of next 4 rows. \* Cont on rem

62 66 70 74 78 sts

until armholes measure

8½ 8½ 9 9 9½ ins

ending after a wsf row.

### SHAPE SHOULDERS

Cast off 6 7 7 7 8 sts  
at beg of next 4 rows, then cast off

8 8 9 10 9 sts

at beg of next 2 rows. Cast off rem

22 22 24 26 26 sts

### FRONT

(V Neck). Work as given for back from \* to \*.

Next row: (Shape V neck). rsf. Patt 31 33 35 37 39 sts

turn, p 2 tog, patt to end.

Cont to dec 1 st at neck edge on every foll 4th row until

20 21 23 24 25 sts

rem. Cont straight until armhole measures same as for back, ending after a wsf row.

### SHAPE SHOULDER

Cast off 6 7 7 7 8 sts  
at beg of next row and foll alt row. Cast off rem sts.

Join wool to rem sts and work to correspond with side already completed, reversing all shapings.

### FRONT

(Crew Neck). Work as given for back until armholes measure

5½ 5½ 6 6 6½ ins

ending after a wsf row.

### SHAPE NECK

Patt 28 30 31 33 34 sts  
turn (leaving rem sts until required), dec 1 st, patt to end.

Cont to dec 1 st at neck edge on every foll alt row until

20 21 23 24 25 sts

rem. Cont straight until armhole measures same as for back, ending after a wsf row.

### SHAPE SHOULDER

Cast off 6 7 7 7 8 sts  
at beg of next and foll alt row. Cast off rem sts.

Join wool at rsf to rem sts. Cast off

6 6 8 8 10 sts

and work on rem sts to correspond with side already completed, reversing all shapings.

### SLEEVES

Using No 8 needles, cast on

30 34 38 42 46 sts

and work in k 1, p 1 rib for 2½ ins.

Change to No 6 needles and cont in patt as given for back but inc 1 st at both ends of the 3rd and every foll 6th row until there are

64 66 68 70 72 sts

on the needle.

Cont straight until sleeve measures

15 15½ 16 16½ 17 ins

Cont on page 12





# *Valencia . . .*

Lotus the wool . . . Fair Isle the style . . . Ideal for those holiday weekends.



## Model No. 1CRM, C

### MATERIALS

Bust or chest size

34 36 38 40 42 44 ins

Wool required

Light shade

Fontana Lotus 19 20 20 21 22 23 ozs

or Fontana Sprite 15 16 16 17 18 19 ozs

Dark shade

3 3 3 3 3 3 ozs

Medium shade

5 5 5 5 5 5 ozs

1 pair each Nos 6 and 9 Paragon knitting needles.

### MEASUREMENTS

Length 24 24½ 25 25½ 26 26½ ins

Sleeve seam

16½ 17 17½ 18 18½ 18½ ins

### TENSION

4½ sts to 1 inch over stst.

See paragraph marked **Important** on page 2.

### ABBREVIATIONS

See page 10.

### BACK and FRONT (Alike)

Using No 9 needles and Medium wool, cast on **78 84 90 96 102 108 sts** and work 8 rows in k 1, p 1 rib, inc 1 st at the end of the last rib row.

**79 85 91 97 103 109 sts**

Change to No 6 needles and work from the chart for lower border. Each square represents 1 st and 1 row and the 6 patt sts are repeated across row with an extra st (divided by a heavy line) at the end of k rows and beg of p rows. Work from right to left for k rows and left to right for p rows. When the 14 rows of chart have been completed cont in stst and Light wool until work measures **15 15½ 16 16½ 17 17½ ins** ending with a p row.

Now work from the chart given for the yoke until the 54 rows have been completed. Cont in Medium wool. Work 2 rows. Cast off

**26 28 29 31 33 34 sts**


at beg of next 2 rows. Now work 6 rows on the rem sts, inc 1 st at both ends of every row. Cast off.

### SLEEVES

Using No 9 needles and Medium wool, cast on **46 46 46 54 54 54 sts**


FONTANA 321

### PATTERN FOR YOKE



□=LIGHT  
X=MEDIUM  
■=DARK

### PATTERN BORDER FOR LOWER EDGE



and work 2 ins in k 1, p 1 rib, inc into every **5th 5th 5th 7th 7th 7th st** on the last rib row.

**55 55 55 61 61 61 sts**

Change to No 6 needles and work the 14 rows of patt border as given for lower edge. Now cont in stst and Light wool, inc 1 st at both ends of the next and every foll 4th row until there are

**79 79 79 85 85 85 sts**

on the needle. Cont without further shaping until sleeve measures

**13¼ 13¾ 14¼ 14¾ 15¼ 15½ ins**

ending with a p row. Now work the first 20 rows of yoke patt. Cast off using Light wool.

### MAKE UP


Darn in all loose ends neatly. Press work with a warm iron over a damp cloth. Join shoulders. Sew sleeve tops to back and front beg and ending

**9 9 9 9½ 9½ 9½ ins**

down from centre shoulder seam. Join side and sleeve seams. Turn under neck facing and stitch down neatly. Press seams.

END





# *Caribbean . . .*

Comfort, warmth and looks are the keynote of this pullover . . . crew, V, or polo necked for the man in your life.



## Model No. 3 CRM E and F

### MATERIALS

Wool required

**Crew or V Neck**

**Fontana Lotus** 21 22 22 23 24 25 ozs  
or **Fontana Sprite** 17 18 18 19 20 21 ozs

Chest size

34 36 38 40 42 44 ins

1 extra oz required for Polo Neck.

1 pair each Nos 6 and 8 **Paragon** knitting needles.

### MEASUREMENTS

Length 23½ 24 24½ 25½ 26 27½ ins

Sleeve seam

17 17 17½ 18 18 19 ins

### TENSION

4½ sts to 1 inch in width.

See paragraph marked **Important** on page 2.

### ABBREVIATIONS

See page 10.

## CREW OR POLO NECK

### BACK

Using No 8 needles, cast on

80 86 90 96 100 104 sts

and work 2 ins in k 1, p 1 rib.

Change to No 6 needles and cont in stst until work measures

14 14 14 15 15 15 ins

or length required, ending with a p row.

### SHAPE RAGLAN ARMHOLES

Cast off 2 sts at beg of next 2 rows, then cont as follows:—

**1st row:** K 1, sl 1, k 1, pss0, k until 3 sts rem, k 2 tog, k 1.

**2nd row:** P.

Cont to rep these 2 rows until

22 24 26 26 28 28 sts

rem. Leave these sts on a spare needle until required.

### FRONT

Work exactly as given for the back until

42 44 46 46 48 48 sts

rem, ending with a k row.

FONTANA 321

### SHAPE NECK

P 18 18 18 18 18 18 sts

cast off next

6 8 10 10 12 12 sts

p across rem

18 18 18 18 18 18 sts

Cont on the last set of sts. Still dec at armhole edge as before, dec 1 st at neck edge on every k row until 6 sts rem. Now cont to dec at armhole edge only until 2 sts rem. Work 2 tog and fasten off.

With rsf, rejoin wool at neck edge to rem sts and work this side to correspond with side already completed.

### SLEEVES

Using No 8 needles, cast on

40 42 44 48 50 52 sts

and work 3 ins in k 1, p 1 rib.

Change to No 6 needles and cont in stst, inc 1 st at both ends of the 3rd and every foll 6th row until there are

62 66 68 74 76 80 sts

on the needle. Cont without further shaping until sleeve measures

17 17 17½ 18 18 19 ins

or length required, ending with a p row.

### SHAPE RAGLAN TOP

Work exactly as given for shaping raglan armholes on the back until 4 sts rem. Leave these sts on a spare needle until required.

### NECK BAND

Sew raglan sleeves neatly into armholes, leaving left back seam open. With rsf and using No 8 needles, k across the 4 sts on spare needle at left sleeve top, then pick up and k

48 50 52 52 54 54 sts

around front neck to the 4 sts on spare needle at right sleeve top. K across these 4 sts, then k across the

22 24 26 26 28 28 sts

on spare needle at back neck. Work 2 ins in k 1, p 1 rib for crew neck. Cast off very loosely in rib.

For polo neck, work 3 ins in rib, then change to No 6 needles and cont in rib until collar measures 6 ins. Cast off loosely in rib.

### MAKE UP

Press work with a warm iron over a damp cloth. Join rem raglan seam. Join

*Cont overleaf*



side and sleeve seams. Fold crew neck band in half on to wrong side and stitch neatly around inside neck taking care not to make the neck tight. Press seams.

### V NECK

Work the back and sleeves as given for crew neck jersey but casting off the sts at back neck and sleeve top.

#### FRONT

Work as given for the back until 2 rows before armhole shaping.

#### DIVIDE FOR NECK

Next row: K

40 43 45 48 50 52 sts  
turn and cont on these sts, leaving rem  
40 43 45 48 50 52 sts  
until required.

Next row: P.

#### SHAPE ARMHOLES AND NECK

Next row: Cast off 2 sts at beg of row, k until 2 sts rem at neck edge, k 2 tog.

Next row: P.

Now cont shaping as follows:—

1st row: K 1, sl 1, k 1, pssso, k to end.

2nd row: P.

3rd row: K 1, sl 1, k 1, pssso, k until 2 sts rem, k 2 tog.

4th row: P.

Cont to rep these 4 rows until

13 13 12 15 14 16 sts  
rem, then cont to shape at armhole edge only (as before) until 2 sts rem. Work 2 tog and fasten off. With rsf, rejoin wool at neck edge to rem sts and k to end.

Next row: Cast off 2 sts at beg of row, p to end.

Now cont as follows:—

1st row: K until 3 sts rem, k 2 tog, k 1.

2nd row: P.

3rd row: K 2 tog at neck edge, k until 3 sts rem, k 2 tog, k 1.

4th row: P.

Cont to rep these 4 rows until

13 13 12 15 14 16 sts  
rem, then cont to dec at armhole edge only until 2 sts rem. Work 2 tog and fasten off.

#### NECK BAND

Sew raglan sleeves neatly into armholes, leaving left back seam open. With rsf and using No 8 needles commence at left shoulder top and pick up and k

53 57 59 65 67 71 sts  
along left shoulder top and down left front neck picking up the last st from centre V. Mark this centre st with a piece of contrasting wool, then pick up and k  
52 56 58 64 66 70 sts  
along right front neck and shoulder top. Now pick up and k

22 24 26 26 28 28 sts  
along back neck. Work as follows:—

1st row: \* K 1, p 1; rep from \* until 2 sts from centre marked st, p 2 tog tbs, k 1, p 2 tog, then p 1, k 1 alternately to end.

2nd row: Work in rib as now set until 2 sts from centre marked st, k 2 tog, p 1, sl 1, k 1, pssso, rib to end.

Rep these 2 rows twice more, then work the 1st row once again. Cast off in rib.

#### MAKE UP

Press work with a warm iron over a damp cloth. Join rem raglan seam. Join side and sleeve seams. Press seams.

END

### ABBREVIATIONS USED THROUGHOUT THIS BOOK

K, knit; p, purl; sts, stitches; inc, increase; dec, decrease; ins, inches; rsf, right side facing; rep, repeat; cont, continues(ing); rem, remains(ing); beg, beginning; stst, stocking stitch (right side k, wrong side p); tbs, through back of stitch; tog, together; sl, slip; pssso, pass slipped stitch over; foll, following; alt, alternate; patt, pattern; tbl, through back of loop; M, main shade; C, contrast; pw, purlwise; kw, knitwise; wl fwd, wool forward; wl bk, wool back; wrn, wool round needle.



# Catalina

Be up-to-the-minute in this swinging striped jumper knitted in Lotus.

Model No. 1731

## MATERIALS

Bust size 34 to 36 ins  
Wool required  
**Fontana Lotus**, White 13 ozs, Red, 5 ozs, Black 5 ozs;  
or **Fontana Sprite**, White 10 ozs, Red 4 ozs, Black 4 ozs.  
1 pair each Nos 6 and 8 **Paragon** knitting needles.

## MEASUREMENTS

Length 26½ ins

## TENSION

4½ sts to 1 inch.

See paragraph marked **Important** on page 2.

## ABBREVIATIONS

See page 10.

## FRONT

Beg at cuff of left sleeve.

The foll patt is used throughout:—4 rows in stst in B; 4 rows in stst in R; 8 rows in stst in W.


Using No 6 needles and B, cast on 24 sts and work in patt, inc 1 st at end of 7th and every foll 6th row, at the same time inc 1 st at beg of 13th and every foll 12th row until there are 40 sts on the needle. Inc 1 st at the end of the foll 3 right side rows, then cast on 26 sts at end of the foll 2 right side rows. (95 sts). P back.

Cont in patt, inc 1 st at beg of next and every foll 6th right side rows until there are 101 sts and 7 complete patts and 4 rows have been completed.

## SHAPE NECK

Cast off 8 sts at beg of next right side row, then 2 sts at beg of next right side row, then 1 st at beg of foll 2 right side rows. Cont straight until 8 complete patts plus 4 rows black have been completed (centre front). Keeping stripes correct,

FONTANA 321



work other half to correspond with side already completed, reading dec for inc and cast off for cast on.

## BACK

Beg at cuff of left sleeve.

Using No 6 needles and B, cast on 24 sts and work in patt, inc 1 st at beg of 7th and every foll 6th row, at the same time inc 1 st at end of 13th and every foll 12th row until there are 40 sts on the needle. Inc 1 st at beg of next 3 right side rows, then cast on 26 sts at end of foll 2 wrong side rows. (95 sts). Cont in patt, inc 1 st at end of next and every foll 6th right side rows until there are 101 sts on the needle. Cont straight until 8 complete patts plus 4 rows in black have been worked (centre back). Keeping stripes correct work other half to correspond with side already completed, reading dec for inc and cast off for cast on.

## CUFFS

Sew shoulder and upper sleeve seams neatly, matching stripes.

With rsf and using W and No 8 needles, pick up 47 sts at sleeve edge and work in k 1, p 1 rib for 2½ ins. Cast off loosely. Work the other sleeve the same.

## WAIST BAND

With rsf and using W and No 8 needles, pick up 87 sts along bottom of front and work in k 1, p 1 rib for 2 ins. Cast off loosely. Work back the same.

Sew side and under sleeve seams, matching stripes.

Cont overleaf

Page Eleven



## COLLAR

Using No 8 needles and W, cast on 87 sts and work 6 rows in k 1, p 1 rib.

**Next row:** Rib 29 sts, \* (k 1, p 1, k 1 into next st), rib 3; rep from \* 6 times more, inc twice in next st, rib 29 sts.

Cont in rib for 11 rows.

**Next row:** Using B, cast on 17 sts k across ribbing and cast on 17 sts at end of row. Work 3 rows in garter st.

Change to R and work 1st row as foll: K 16, inc twice in next st, k until 17 sts rem, inc twice in next st, k to end of row.

K 4 rows in garter st and cast off loosely. Sew 17 cast on sts up each side of ribbing.

Sew collar into position. Press all seams using a warm iron over a damp cloth.

**END**

## CAPRI

*Cont from page 3*

### SHAPE ARMHOLES

Cast off 5 (6) (7) sts at beg of next 2 rows, then dec 1 st at both ends of every p row until 61 (63) (65) sts rem. Cont without further shaping until armholes measure same as for front to shoulders, ending with a p row.

### SHAPE SHOULDERS

Cast off 5 sts at beg of next 4 rows, then cast off 5 (6) (7) sts at beg of the foll 2 rows. Leave rem 31 sts on a stitch holder for back neck until required.

### SLEEVES

Using No 8 needles, cast on 36 (38) (38) sts and work 3 ins in k 1, p 1 rib, inc into every 6th st across the last rib row. 42 (44) (44) sts.

Change to No 6 needles and cont in stst, inc 1 st at both ends of the 3rd and every foll 6th row until there are 60 (64) (66) sts on the needle. Cont without shaping until sleeve measures 16 ins, or length required, ending with a p row.

## COSTA BRAVA

*Cont from page 5*

or length required, ending after a wsf row.

### SHAPE TOP

Cast off 4 sts at beg of next 2 rows, then dec 1 st at both ends of next and every foll alt row until 36 sts rem. Now dec 1 st at both ends of every row until 20 sts rem. Cast off.

### NECK BAND

(Crew Neck). Join right shoulder seam. Using No 8 needles, pick up and k

92 94 96 100 102 sts evenly around neck edge. Work in k 1, p 1 rib for 2 ins. Cast off loosely in rib. Join left shoulder and neck band. Fold neck band in half to inside and sew down.

### NECK BAND

(V Neck). Join right shoulder seam. With rsf and using No 8 needles, pick up and k

46 48 50 52 54 sts

### SHAPE TOP

Cast off 5 (6) (7) sts at beg of next 2 rows, then dec 1 st at both ends of every k row until 30 sts rem. Dec 1 st at both ends of next 4 rows. Cast off 3 sts at beg of next 2 rows. Cast off rem sts.

### NECK BAND

Join right shoulder seam neatly, using a narrow back stitch seam. Using No 8 needles, commence at left shoulder and pick up and k 12 sts along left front neck to the 23 sts on stitch holder at front neck. K across these 23 sts, inc 3 sts evenly across row, then pick up and k 12 sts along right front neck. Now k across the 31 sts on stitch holder at back neck, inc 3 sts evenly across row. Work 2 ins in k 1, p 1 rib. Cast off very loosely in rib. Join rem shoulder seam. Fold neck band in half on to wrong side and stitch back neatly. Using a narrow back stitch seam, sew sleeves into armholes. Join side and sleeve seams. Press work with a warm iron over a damp cloth.

**END**

along left side of neck edge, pick up centre st (and mark this st with a piece of contrasting wool), pick up and k

46 48 50 52 54 sts

along right side of neck edge, and

22 22 24 26 26 sts

of back. Now work as follows:—

**1st row:** (wsf). (K 1, p 1) rib until 2 sts before centre st, k 2 tog tbs, p 1, k 2 tog, (p 1, k 1), rib to end.

**2nd row:** (P 1, k 1), rib until 2 sts before centre st, k 2 tog tbs, k 1, k 2 tog, (k 1, p 1), rib to end.

Rep last 2 rows for 1½ ins. Now inc 1 st at each side of centre st for 1½ ins. Cast off in rib.

Join left shoulder seam. Fold neck band in half to inside of work and sew down.

### MAKE UP

Join side and sleeve seams. Sew sleeves into armholes. Press with a warm iron over a damp cloth.

**END**





# Monaco . .

Elegance and warmth are both to be found in this jacket designed in twisted stitch pattern.

Model No. 74 G

## MATERIALS

Fontana Lotus	22	23	23	25	ozs
or Fontana Sprite	18	18	19	21	ozs
Bust size (casual fitting)	32	34	36	38	ins
Approx width	35	37½	40	42	ins

1 pair each Nos 6 and 8 **Paragon** knitting needles. 6 Beutron buttons.

FONTANA 321

## MEASUREMENTS

Length	22	22½	22¾	23¼	ins
Sleeve seam	16½	16½	17	17	ins

## TENSION

5 sts to 1 inch in width over pattern.  
See paragraph marked **Important** on page 2.



## ABBREVIATIONS

See page 10.

## BACK

Using No 8 needles, cast on

**86 92 98 104 sts**  
and work  $2\frac{1}{2}$  ins in k 1, p 1 rib, inc 1 st  
at the end of last rib row.

**87 93 99 105 sts**  
Change to No 6 needles and cont in  
the foll patt:—

**1st row:** K.

**2nd and every alt row:** P.

**3rd row:** K 3, \* twist 3 thus:—K into  
the front of the 3rd st on left hand needle  
leaving st on needle, then k the 1st and  
2nds sts and sl all sts off the needle tog,  
k 3; rep from \* to end.

**5th row:** As 3rd row.

**7th row:** K.

**9th row:** Twist 3, \* k 3, twist 3; rep  
from \* to end.

**11th row:** As 9th row.

**12th row:** P.

These 12 rows comprise the patt. Cont  
to rep them until work measures

**14 14½ 14½ 15 ins**  
ending with a p row.

## SHAPE RAGLAN ARMHOLES

Keeping patt correct, cast off

**4 5 6 7 sts**  
at beg of next 2 rows, then dec 1 st at  
both ends of next and every foll alt row  
until **37 41 43 45 sts**  
rem. Now dec 1 st at both ends of every  
row until **27 27 29 29 sts**  
rem. Cast off.

## LEFT FRONT

Using No 8 needles, cast on

**42 44 48 50 sts**  
and work  $2\frac{1}{2}$  ins in k 1, p 1 rib, inc 1 st at  
the end of the last rib row for the **2nd**  
and **4th sizes only**.

**42 45 48 51 sts**  
Change to No 6 needles and work in  
patt as follows:—

**PATT for 1st and 3rd SIZES:**

**1st row:** K.

**2nd and every alt row:** P.

**3rd row:** \* Twist 3, k 3; rep from \* to  
end.

**5th row:** As 3rd row.

**7th row:** K.

**9th row:** \* K 3, twist 3; rep from \* to  
end.

**11th row:** As 9th row.

**12th row:** P.

**PATT for 2nd and 4th SIZES:**

**1st row:** K.

**2nd and every alt row:** P.

**3rd row:** Twist 3, \* k 3, twist 3; rep  
from \* to end.

**5th row:** As 3rd row.

**7th row:** K.

**9th row:** K 3, \* twist 3, k 3; rep from  
\* to end.

**11th row:** As 9th row.

**12th row:** P.

Cont in patt as set for each size until  
work measures same as for back to arm-  
holes, ending with a wrong side row.

## SHAPE RAGLAN ARMHOLE

Cast off **4 5 6 7 sts**  
at beg of next row, patt to end.

**Next row:** P.

Now keeping patt correct, dec 1 st at  
armhole edge at beg of next and every  
foll alt row until

**34 36 38 40 sts**  
rem, ending with a p row.

## SHAPE FRONT SLOPE

**Next row:** Dec 1 st at armhole edge,  
patt until 2 sts rem at front edge, work 2  
tog. Now mark the commencement of  
front slope shaping with a piece of con-  
trasting wool. Still dec at armhole edge  
at the beg of every right side row as be-  
fore, dec 1 st at front edge on every foll  
4th row until **10 12 12 13 sts**  
rem, ending with a p row. Now work as  
follows:—

**1st SIZE:**

**1st row:** Dec 1 st at armhole edge, patt  
until 2 sts rem at front edge, work 2 tog.

**2nd row:** P until 2 sts rem at arm-  
hole edge, p 2 tog.

**3rd row:** Dec 1 st at armhole edge,  
patt to end.

**4th row:** As 2nd row.

**5th row:** As 1st row.

**6th row:** As 2nd row. (2 sts). Work  
2 tog and fasten off.

**2nd SIZE:**

Work the 6 rows as given for the 1st  
size.

**7th row:** As 3rd row.

**8th row:** As 2nd row. (2 sts). Work 2  
tog and fasten off.

**3rd SIZE:**

**1st row:** Dec 1 st at armhole edge, patt  
to end.

**2nd row:** P until 2 sts rem at armhole  
edge, p 2 tog.

**3rd row:** Dec 1 st at armhole edge,  
patt until 2 sts rem at front edge, work  
2 tog.

**4th row:** As 2nd row.

**5th row:** As 1st row.

**6th row:** As 2nd row.

**7th row:** As 3rd row.

**8th row:** As 2nd row. (2 sts). Work  
2 tog and fasten off.

**4th SIZE:**

Work the 6 rows as given for 1st size.

**7th row:** As 3rd row.

**8th row:** As 2nd row.



**9th row:** As 3rd row. (2 sts). Work 2 tog and fasten off.

## RIGHT FRONT

Using No 8 needles, cast on  
42 44 48 50 sts  
and work 2½ ins in k 1, p 1 rib, inc 1 st  
at beg of last rib row for the **2nd and  
4th sizes only.** 42 45 48 51 sts

Change to No 6 needles and work in  
the patt as follows:—

**1st and 3rd SIZES:**

**1st row:** K.

**2nd and every alt row:** P.

**3rd row:** \* K 3, twist 3; rep from \*  
to end.

**5th row:** As 3rd row.

**7th row:** K.

**9th row:** \* Twist 3, k 3; rep from \* to  
end.

**11th row:** As 9th row.

**12th row:** P.

**2nd and 4th SIZES:**

Work as given for left front.

Cont in patt as now set for each size,  
until work measures same as for back to  
armholes, ending with a right side row.

## SHAPE RAGLAN ARMHOLE

Cast off 4 5 6 7 sts  
at beg of next row, p to end. Now keep-  
ing patt correct, dec 1 st at armhole edge  
at the end of next and every foll alt row  
until 34 36 38 40 sts  
rem, ending with a p row. Mark the beg  
of front slope shaping with a piece of  
contrasting wool. Shape front slope to  
correspond with opposite side with all  
shapings at opposite ends of the needle.

## SLEEVES

Using No 8 needles, cast on  
42 42 48 48 sts  
and work 2 ins in k 1, p 1 rib, inc 3 sts  
evenly across the last rib row.

Change to No 6 needles and cont in  
patt as given for the back, inc 1 st at  
both ends of the 3rd and every foll 6th  
row until there are

69 69 75 81 sts  
on the needle, working the extra sts into  
the patt as they become available. Cont  
without further shaping until sleeve meas-  
ures 16½ 16½ 17 17 ins  
or length required, ending with a p row.

## SHAPE RAGLAN TOP

Keeping patt correct, cast off

4 5 6 7 sts  
at beg of next 2 rows, then dec 1 st at  
both ends of the next and every foll alt  
row until 23 15 19 21 sts  
rem. Now dec 1 st at both ends of every  
row until 5 sts rem. Cast off.

## MAKE UP

Sew raglan sleeves neatly into arm-  
holes using a narrow back stitch seam.  
Press seams. Join side and sleeve seams.

## FRONT BORDERS and COLLAR

Using No 8 needles and with rsf, com-  
mence at lower edge of right front and  
pick up and k 86 90 90 92 sts  
along front edge to commencement of  
front slope shaping. Now pick up and k  
36 38 40 42 sts  
along front slope to shoulder, then pick  
up and k 26 26 28 28 sts  
across back neck. Now pick up and k  
36 38 40 42 sts  
from shoulder to commencement of left  
front slope shaping, then pick up and k  
86 90 90 92 sts  
down left front to lower edge. Work 5  
rows in k 1, p 1 rib, ending at lower  
right front edge.

**Next row:** Work for buttonholes:—Rib  
6, \* cast off 3, rib 12 13 13 13 sts  
\*; rep from \* to \* 4 times more, cast off  
3, rib to end.

**Next row:** Rib across row, casting on  
3 sts above those cast off.

Rib 6 more rows. Now shape borders  
and collar as follows:—Cast off fairly  
loosely in rib 96 102 104 108 sts  
at beg of next 2 rows. Now cont across  
rem 78 78 80 80 sts  
for collar. Work 6 rows without shaping  
then inc 1 st at both ends of next and  
every foll 4th row until there are

92 92 94 94 sts  
on the needle.

**Note:** To work the increases, inc 1 st  
at beg of row, then rib until 2 sts rem,  
inc into next st, then work last st.

Work 5 rows without shaping. Cast off  
loosely in rib.

Press work with a warm iron over a  
damp cloth. Sew on buttons to corre-  
spond with buttonholes.

END

*All designs are copyright and reproduction in whole or part, without permission from the publishers is forbidden.*

Printed and Published by

**PARAGON ALLIANCE LIMITED**

DUNEDIN, TIMARU, WELLINGTON and AUCKLAND

Also in Australia and South Africa

First Printing



# FISHER'S WOOL SHOP OTOROHANGA



No. 321



**CAPRI** Page 2  
3 sizes. To fit 32 to 36 inch bust. Requires 19 to 21 ozs FONTANA Lotus or 15 to 16 ozs FONTANA Sprite.



**COSTA BRAVA** Page 4  
5 sizes. To fit 32 to 40 inch bust or chest. Requires 18 to 25 ozs FONTANA Lotus or 15 to 21 ozs FONTANA Sprite.



**VALENCIA** Page 6  
6 sizes. To fit 34 to 44 inch bust or chest size. Requires 19 to 23 ozs FONTANA Lotus in light shade, 3 ozs in dark shade and 5 ozs in medium shade or 15 to 19 ozs FONTANA Sprite in light shade, 3 ozs in dark shade and 5 ozs in medium shade.



**CARIBBEAN** Page 8  
6 sizes. To fit 34 to 44 inch chest. Requires 21 to 25 ozs FONTANA Lotus or 17 to 21 ozs FONTANA Sprite for crew and V neck version and 1 oz extra for polo neck.



**CATALINA** Page 11  
To fit 34 to 36 inch bust. Requires 13 ozs FONTANA Lotus in white, 5 ozs in red and 5 ozs in black or 10 ozs FONTANA Sprite in white, 4 ozs in red and 4 ozs in black.



**MONACO** Page 13  
4 sizes. To fit 32 to 38 inch bust. Requires 22 to 25 ozs FONTANA Lotus or 18 to 21 ozs FONTANA Sprite.